



GUIL®

www.guil.es

TRANSPARENT PLATFORMS

WITH PLEXIGLASS TOPS, bring a lot of versatility to a stage, and can be used to give points of light and achieve an elegant and distinguishing finish.

TRANSPARENT PLATFORMS




Our transparent decks, with plexiglass tops, bring a lot of versatility to a stage, and can be used to give points of light and achieve an elegant and distinguished finish.

Our acrylic platforms are multi-purpose; they can be covered in coloured vinyl, can have under-lighting or be used as a "window" to display products under your visitor's feet.

The frames of these platforms are still aluminium, making them light, ensuring their easy transport and installation.



GUIL
Total SAFETY underfoot!



GUIL make very striking decks which can even be set up as a floor to **cover pools** or fountains, transforming them into an elegant dance floor or catwalk.

www.guil.es

P.I. La Creu C/ Ismael Tomás Alacreu, 28-30 46250 - L'Alcúdia (Valencia) SPAIN Tel. +34 962996500 - info@guil.es



Our transparent decks DO NOT need reinforcing crossbars (which would hinder visibility – the main feature for which the panels are used). At GUIL we only use 20 mm and 15 mm thick methacrylate panels with reinforced aluminium profiles which guarantees maximum safety.

QUALITY, SAFETY & STRENGTH

For more information on Transparent stage platforms, please click on the following links:

Platforms with acrylic panel and plug-in legs (interchangeable):

[TM440-M/2X1 \(350 kg/m²\)](#)

[TM440-M/1X1 \(500 kg/m²\)](#)



www.guil.es

P.I. La Creu C/ Ismael Tomás Alacreu, 28-30 46250 - L'Alcúdia (Valencia) SPAIN Tel. +34 962996500 - info@guil.es



TM440-M

TM440-M/2X1 350 Kg/m² (2x1:700 Kg)

TM440-M/1X1 500 Kg/m²

TRANSPARENT METHACRYLATE DECK

- **TM440-M/2X1:** Certified load capacity for 350 kg/m² (2x1: 700 Kg)
- **TM440-M/1X1:** Certified load capacity for 500 kg/m²
- Reinforced aluminium frame + 20 mm thick transparent panel.
- The panel is secured to the frame structure by means of aluminium rivets: noise- & vibration-free performance.
- Reinforced aluminium leg sockets for greater stability + multiple leg options.
- Integrated continuous rail for fast connections and accessories.
- Versatile and ideal for temporary installations (stages, walkways and fast setups).




**CONNECTORS
INCLUDED**



**TRANSPARENT PANEL
(20 MM)**



**FOR OUTDOORS
USE**



**REINFORCED
LEG SOCKETS**



**REINFORCED
ALUMINIUM FRAME**

www.guil.es

P.I. La Creu C/ Ismael Tomás Alacreu, 28-30 46250 - L'Alcúdia (Valencia) SPAIN Tel. +34 962996500 - info@guil.es

SPECIFICATIONS	TM440-M
Maximum Load	TM440-M(2X1): 350 kg/m ² (2×1m: 700 kg) TM440-M(1X1): 500 kg/m ²
Panel	Transparent Methacrylate I According to: ISO 7823/1 Thickness: 20 mm
Certified according to the norm	EN 17736 EU Regulation 2023/988
Reaction to fire	Clase HB according to UL94 Norm
Material	Reinforced Aluminium, alloy EN AW 6063 80-T6
Connectors included	1 x TMU-01 y 1 x TMU-02 (rustproof)
Use	For outdoor & indoor use. Resistant to all weather conditions.
Standard Heights	From 10 to 200 cm (special heights by petition)
Standard Dimensions	2×1 m / 1×1 m / 2×0,5 m / 1×0,5 m (other sizes by petition)
Net weight	TM440-M(2X1): 63 kg TM440-M(1X1): 35 kg
Stacking Height	10 cm

CERTIFIED PLATFORMS

NEW
EU STANDARD
EN 17736

- I** The TM440-M modular platform complies with **EN 17736** and **Regulation (EU) 2023/988**.
- I** Its extruded aluminium structure features a **reinforced 94 mm profile with four ribs**, ensuring stability without the need for additional bars.
- I** **20 mm transparent panel for outdoor use**. Compliance with ISO 7823/1 standard applicable to methacrylate sheets. UL94 Certification.
- I** The **continuous rail design** allows fast connections and the **integration of accessories** such as handrails, stairs, skirting panels or seating.
- I** The panel is secured to the frame structure by means of aluminium rivets which prevent possible noises and vibrations.
- I** The **ALUMINIUM LEG SOCKETS**, fixed with M8 fasteners and fitted with a reinforced protective cover, facilitate assembly, protect the panel and ensure a stable housing for the legs by means of an ergonomic metal knob.
- I** TM440-M deck offers **the best solution for any lightweight function which require a quick and easy set-up and dismantling, with the possibility of multiple configurations, either for permanent or temporary events (podiums, decoration, exhibitions, conferences, catwalks, etc)**. Thanks to their transparent panel and aluminium frame, TM440-M decks are the perfect option for both indoor and outdoor events, even in swimming pools!



WE MANUFACTURE A WIDE RANGE OF ACCESSORIES AND COMPLEMENTS to cover all the requirements of your project:

Legs: We manufacture 6 different types of legs (**PTA5-F**: fixed height legs for a specific platform height, **PTA5-N**: fixed height legs with leveller, **PTA5-T**: telescopic legs for an adjustable platform height (or uneven terrain), **PTA5-D**: telescopic leg with adjustable leveller, **PTA5-P**: telescopic legs with locking pin and adjustable leveller, **PTA5-R**: Angle-adjustable telescopic leg for a perfect for set-ups on a slope or for ramps).

Connectors: a wide variety of connectors to join and level GUIL platforms.

Access stair – We manufacture 3 models of Access stairs, all made in reinforced aluminium:

- Folding adjustable aluminium stairs with handrail Ref. ECP
 - Aluminium modular access stair with fixed height legs Ref. ECD
 - Aluminium step modules with 3 fixed legs and 1 with leveller Ref. ECT.
- Note: two handrails are included with stairs with 4 steps or more (ref. ECT20-80).

Safety rails for the perimeter of the stage Ref. TMQ (reinforced aluminium). 2m, 1m and 0.5 m lengths.

Ramps: Set of various components to create ramps using GUIL Platforms. Ref. RMP

Seats: Convert your platforms into a grandstand or tiered seating. Ref. A-1 /G


Wheels: Convert your decks into a rolling stage.

Transport and storage trolleys/dollies for decks. We manufacture many types of trolleys to satisfy any need.

Strengthening braces: Additional accessory to reinforce platforms for high stages ART

Accessories and Adaptors for Platforms.

Choose **GUIL** products,
Choose **SAFETY** for your **EVENTS**



www.guil.es

P.I. La Creu C/ Ismael Tomás Alacreu, 28-30 46250 - L'Alcúdia (Valencia) SPAIN Tel. +34 962996500 - info@guil.es